

GENERAL NOTES

- 1. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT OF WAY IN ACCORDANCE WITH THE PROVISIONS OF LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES AND AT NO COST\TO THE CITY.
- CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE DEPARTMENT OF PUBLIC WORKS, STANDARD DRAWINGS, STANDARD DRAWING NO. 10 AND THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, CURRENT EDITION.
- THE PRIVATE ENGINEER SIGNING THESE PLÀNS IS RESPONSIBLE FOR ASSURING THE ACCURACY ANDPACCE, TABILITY OF THE WORK HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE CITY.
- 4. THE DEVELOPER SHALL BE RESPONSIBLE FOR PRESERVING OR RE-ESTABLISHING AND REFERENCING SURVEY MONUMENTS DESTROYED, DISTURBED OR BURNED AS A RESULT OF CONSTRUCTION SHOWN HEREON.
- 5. ALL FLAGGED ELEVATIONS SHALL BE STAKED IN THE FIELD BY THE PRIVATE ENGINEER.
- 6. THE CONTRACTOR SHALL CALL IN A LOCATION REQUEST TO UNDERGROUND SERVICE ALERT (USA), PHONE 1-800-227-2600, TWO WORKING DAYS BEFORE DIGGING. NO CONSTRUCTION PERMIT WILL BE ISSUED BY PUBLIC WORKS DEPARTMENT INVOLVING EXCAVATION FOR UNDERGROUND FACILITIES UNLESS THE APPLICANT HAS BEEN PROVIDED AN INQUIRY IDENTIFICATION NUMBER OF U.S.A.
- 7. CONTRACTOR IS TO VERIFY EXISTING SEWER LOCATION AND ELEVATION PRIOR TO START OF CONSTRUCTION.
- 8. LOCATION OF LATERALS TO BE DETERMINED IN THE FIELD AT THE DIRECTION OF THE OWNER. AVOID CONFLICT WITH PROPOSED AND/OR EXISTING FACILITIES.
- 9. NO FINISHED FLOOR ELEVATION SHALL BE LESS THAN 4' ABOVE THE SEWER FLOW LINE AT POINT OF CONNECTION WITHOUT HAVING A PROPER BACKWATER VALVE INSTALLED IN THE LATERAL.
- 10. A PLUG SHALL BE INSTALLED AND WILL REMAIN IN PLACE WHERE THE NEW SEWER CONNECTS WITH THE EXISTING SEWER UNTIL THE NEW SEWER IS ACCEPTED BY THE CITY.
- 11. THE SEWER CONTRACTOR SHALL ADJUST MANHOLES TO FINAL GRADE AFTER PAVING IS COMPLETED.



BENCHMARK: GG-F P.K. NAIL AND TAG IN CULVERT HEADWALL AT W'LY CORNER OF VICTORIA AVE. AND MAUDE ST. F.B. 838/57 ELEV. 974.744



STD. 560 4" CLEANOUT TO BE CONSTRUCTED AT RIW FOR ALL LOTS,

| CITY BUSINESS TAX CERTIFICATE NO. 005751 EXP. 12-31-96 |
|---|
| ALBERT A. WEBB ASSOCIATES CIVIL ENGINEERS 3788 McCRAY STREET RIVERSIDE, CA 92506 (909) 686-1070 APPROVED BY MO 2 FATE 8/21/96 R.E. NO. 39530 |
| W.O.:96-0076 FOR: SHEFFIELD HOMES F.B.: 1996 |

| ERITFICATE NO. 005/51 EXP. 12-31-96 | | | | | | |
|-------------------------------------|------|---------------|------------------|---------|-------|---|
| | | 1 | | | | _ |
| WEBB ASSOCIATES ENGINEERS | | | | | | L |
| | | | | | | _ |
| REET RIVERSIDE, CA 92506 | | | | | | _ |
| 909) 68 <u>6-1070</u> | | | | | | |
| 7 Fay (BATE 8/21/96 | | | | | | _ |
| R.E. NO. 39530 | | | | | | _ |
| . No. <u>0 33330</u> | MARK | | REVISIONS | | APPR. | |
| SHEFFIELD HOMES F.B.: 1996 | | GNED BY: A.G. | CHECKED BY: R.T. | PLN CHK | AEF | |
| | | | | | | = |

CITY OF RIVERSIDE, CALIFORNIA PUBLIC WORKS DEPARTMENT APPROVED BY BY DATE APPROVED BY PRINCIPAL ENGINEER S Photos PARKS DEPT. — — LOUNG WORKS

TRAFFIC DIVISION — — DIRECTOR OF PUBLIC WORKS

DEPUTY P.W. DIRECTOR . 844 10/25/9

SEWER PLAN AND PROFILE INDEX SHEET

SCALE: AS SHOWN

DRAWING NUMBER

96-0076-B INDEXED 1-8-97 4-11

NOTICE TO CONTRACTOR ACCORDING TO INFORMATION PROVIDED BY UNDERGROUND SERVICE ALERT (U.S.A.) DATED APRIL ,1996, THE FOLLOWING ORGANIZATIONS ARE U.S.A. MEMBERS

CHARTER COMMUNICATIONS THE GAGE CANAL CO. PACIFIC BELL TELEPHONE CO. CITY OF RIVERSIDE PUBLIC UTILITIES DEPT. THE SO. CALIF. GAS CO. RIVERSIDE COUNTY FLOOD CONTROL

WITHIN THE PROJECT AREA:

THE EXISTENCE AND LOCATIONS OF ALL UNDERGROUND UTILITIES (UTILITY PIPES, STRUCTURES, ETC.) SHOWN ON THESE PLANS (MAIN LINES ONLY - NO SERVICE LATERALS) WERE ASCERTAINED BY A REVIEW OF RECORDS PROVIDED BY THESE MEMBER AGENCIES AND ARE APPROXIMATE. NEITHER THE OWNER NOR THE ENGINEER ASSUMES ANY RESPONSIBILITY FOR UTILITIES NOT SHOWN OR NOT IN THE LOCATION SHOWN.

THE CONTRACTOR IS REQUIRED TO TAKE DUE PRECAUTIONARY MEASURES TO PROTECT ALL UTILITIES SHOWN ON THESE PLANS AND/OR ANY OTHER UNDERGROUND UTILITIES NOT OF RECORD OR NOT SHOWN ON THESE PLANS.

CALL UNDERGROUND SERVICE ALERT (U.S.A.) 1-800-227-2600 AT LEAST 2 WORKING DAYS PRIOR TO EXCAVATION.

THE QUANTITY ESTIMATE SHOWN HEREON IS FOR THE USE OF GOVERNING AGENCIES IN DETERMINING BOND AMOUNTS AND/OR FEES AND IS NOT TO BE USED FOR BID

CONSTRUCTION NOTES

NUNBERS ABOVE 100 IN A HEXAGON ON THE PLAN REFER TO THE RESPECTIVE STANDARD DRAWING AND SHALL BE CONSTRUCTED ACCORDINGLY.

JOIN EX. 8" SEWER WITH 4" SADDLE, CONSTRUCT 4" V.C.P. PEWER LATERAL WITH 4" STD. 560 CLEANOUT AT PROPERTY LINE FOR LOTS 3,4, 17-19, 25-26 FROM THE EXISTING 8" VCP SEWER MAIN IN HORACE STREET AS INDICATED ON THE LOCATION MAP ON THIS SHEET.

